



IJEAST

INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY



VOLUME : 6 ISSUE : 6 Print / Issue Publication Date: 10-Jan-2022



ISSN : 2455-2143



DOI : 10.33564/IJEAST.2021.v06i06.021

Indexed In



WWW.IJEAST.COM

editor@ijeast.com



IMPROVEMENT IN ROUTING PROTOCOL FOR WSN

Vaishali Thorat

Electronics And Telecommunication
Himalayan University Arunachal Pradesh, India,

Dr Lalitkumar Wadhwa

Electronics And Telecommunication
NMIET, Pune, India

Abstract— A wireless network of sensing element (WSN) can be a group of nodes in a systematic way within a network. WSN nodes enlarging low power devices consisting of 1 or more sensors, processor, memory or storage, radio and trans-receiver connected inside an antenna that can be internal or external. Sensors can be mechanical, thermal, chemical, optical, magnetic and other distant. Symptoms created by the senses are naturally analogous. Analog to digital device (ADC) has been used to convert sensory-induced sensors into digital form and integrated into the process unit. Sensors and ADCs are known to be the result of a Sensing unit. A processing unit usually associated with a small end unit is used to manage a process that enables the sensors nodes to interact with other nodes to perform a designated monitoring function. The trans-receiver unit connects the node to the network. A compatible antenna that can be an internal or external emu is that the most important part of the sensor element node uses the power function in every sensory component. It is therefore customary for the sensor node to select a location detection system, however it depends on the system. The extended STR is expected to represent Zig Bee's new network protocol for improved performance Packet Delivery ratio (PDR) and delays compared to STR and AODV. we have a tendency to introduce here the economic process of Advanced Shortcut Tree Routing technique (ASTR).

Keywords— AODV, ZTR, ESTR, ASTR, ROUTING.

I. INTRODUCTION

The trans-receiver unit connects the node to the network. A compatible antenna that can be an internal or external [1] is that the most important part of the sensor element node uses the power function in every sensory component. it is therefore customary for the sensor node to select a location detection system, however it depends on the system. Needed to move the sensor node if needed to perform a specific task [2]. All of these subunits are likely to fit a module the size of a matchbox [3]. the size you want can be as small as a cubic inch thick enough to stay suspended in the air. Apart from the scale, there are other robust aspects of sensing node elements [4]. Sensors are placed away from a specific position or events. throughout this process we need large sensors with advanced

techniques or the ability to distinguish between target and sound from the environment itself. most active sensors are sent to the correct location. The position of sensory and communication technology is technically advanced.

They transmit a series of events in the center of the center where real additions are made. As a large variety of sensory organs are transmitted at the worst possible distance to each other. Communication from there to the sensor node is advance because it consumes very little energy compared to a single hop connection. This is because energy saving is one of the most important aspects of the sensor node as node sensors usually carry an indestructible power source. therefore while the ancient network aims to understand the high level of service delivery, network agreements should focus entirely on energy savings. Multi-hop communications can also effectively overcome the form of signal transmission that results in wireless connectivity. There are several ways to deliver data packets from feed to route delivery that is the way to choose one method between them. The route is made up of quite a number of networks. but most of all we have a tendency to get involved in packet exchange networks.

II. PROPOSED ALGORITHM

A. Comparative analysis of routing protocol –

As we all have a habit of holding the Wireless sensing element Network that is the ideal solution for quick recording, processing and transmission of important information. The sensory elements are placed in an open area however the nodes are plagued by low battery power. Therefore, the power and health of the network are key factors in WSN. ZigBee has low cost, low power consumption and is useful for wireless nerve networks by selecting a series of communication rules. Route protocols such as AODV (Adherence to vector routing), Statistical analysis and performance analysis show that ESTR achieves higher performance compared to different routing processes. standard tests show that ESTR achieves better performance compared to other router agreements. however there are some limitations to the ESTR method. The performance of the multi-package delivery delivery relationships of STR can also be relatively small compared to AODV. The end-to-end performance of STR delays is not good compared to AODV. The extended STR is expected to represent ZigBee's new network protocol for improved

performance Packet Delivery ratio (PDR) and delays compared to STR and AODV. we have a tendency to introduce here the economic process of Advanced crosscut Tree Routing technique (ASTR) to further improve the ESTR process delays..

B. Evaluation of routing protocol

The evaluation of the routing performance of protocol includes average throughput, end-to-end delay, packet delivery ratio, and the routing overhead. They are measured with the number of control packets and memory consumption for routing.




Fig.1.Selection parameters of routing protocol

III. EXPERIMENT AND RESULT

Graphical result of the simulation time versus average energy consumption is shown in the following graph. Average energy consumption of advanced short cut tree routing is very low as compared to ad hoc network and extended short cut tree routing.




Fig. 2. Simulation time vs energy consumption




Fig.3.Simulated snap of parameters of routing protocol

Sensors are positioned far from the actual position or phenomena. during this approach giant sensors are needed that have the complicated techniques or capability to differentiate between the target and noise from the particular position




Fig.4 Graphical representation of parameters of routing protocol

IV. CONCLUSION

This paper introduces the problem of ESTR routing and proposes a ASTR (proposed system) protocol that overcomes the overhead occurred when following the tree topology. In the proposed algorithm, the neighbor table that is originally defined in the ZigBee standard is used to find the optimal next



hop node that has the smallest remaining hop count to the destination. The shortcut tree routing algorithm is efficient in terms of both routing performance and time complexity

V. REFERENCE

- [1] L.K. Wadhwa , Rashmi S. Deshpande , Vishnu Priye , Extended Short- cut Tree Routing For ZigBee Based Wireless Sensor Network, *Ad Hoc Networks* (2015).
- [2] Taehong Kim, Jinyoung Yang, March 2014. "Neighbor Table Based Shortcut Tree Routing in ZigBee Wireless Networks" proceedings of IEEE transaction on parallel and distributed systems, vol. 25,no. 3
- [3] Olfa Gaddour, Anis Koub^aak, Omar Cheikhrouhou, Mohamed Abid CES" Z-Cast: A Multicast Routing Mechanism in ZigBee Cluster Tree Wireless Sensor Networks".
- [4] Ms.Dharmistha D. Vishwakarma, September 2012." IEEE 802.15.4 and ZigBee: A Conceptual Study" in proceedings of International Journal of Advanced Research in Computer and Communication Engineering Vol. 1, Issue 7
- [5] Nisha Ashok Ashrafuzzaman, K & Kwak, KS, 2012; „On the Performance Analysis of the Contention Access Period of IEEE 802.15.4 MAC“, IEEE Communications Letters, vol. 15, no. 9. Somani ,Yask Patel ,May 2012. "ZIGBEE: A Low power wireless technology for industrial applications" International Journal of Control Theory and Computer Modelling (IJCTCM) Vol.2, No.3
- [6] Kanchan Kaushal, Taranvir Kaur, Jaspinder Kaur, 2014. "ZigBee based Wireless Sensor Networks" International Journal of Computer Science and Information Technologies, Vol. 5 (6), 7752-7755
- [7] P. Rohitha, P. Ranjeet Kumar, Prof. N. Adinarayana, Prof. T. Venkat Narayana Rao, July 2012." Wireless Networking Through ZigBee Technology" International Journal of Advanced Research in Computer Science and Software Engineering Volume 2, Issue 7
- [8] Sunil Ghildiyal, Amit Kumar Mishra, Neha Garg , February 2014 "An Overview of Wireless Sensor Networks Using Zigbee Technology" International Journal of Advanced Research in Computer Science and Software Engineering Volume 4, Issue 2
- [9] Babli Kumari, Jyoti Shukla, August 2013." Secure Routing in Wireless Sensor Network" International Journal of Advanced Research in Computer Science and Software Engineering Volume 3, Issue 8C. Hsu and J. Wu, "Multi-resolution Watermarking for Digital Images", *IEEE Transactions on Circuits and Systems- II*, Vol. 45, No. 8, pp. 1097-1101, August 1998.
- [10] Anastasi, G, Conti, M & Francesco, MD, 2009; "The MACUnreliability Problem in IEEE 802.15.4 Wireless Sensor Networks", MSWiM, Tenerife, Canary Islands, Spain, pp. 26-29.
- [11] Andreas Timm-Giel, Ken Murray, Markus Becker, Ciaran Lynch, Carmelita Gorg & Dirk Pesch, 2012; „Comparative Simulations of WSN“, Autonomous Logistics, SFB 637, ICT-Mobile Summit.
- [12] Anis Koubaa, M, Alves & Tovar, E, 2016; „GTS Allocation Analysis in IEEE 802.15.4 for Real Time Wireless Sensor Networks“. In Proceedings of the 14th International Workshop on Parallel and Distributed Real-time Systems (WPDRTS), 1-4244-0054-6/06
- [13] Ashrafuzzaman, K & Kwak, KS, 2012; „On the Performance Analysis of the Contention Access Period of IEEE 802.15.4 MAC“, IEEE Communications Letters, vol. 15, no. 9.

IJEAST

INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY

ABOUT IJEAST

International Journal of Engineering Applied Science and Technology (IJEAST) is a peer-reviewed, open access journal that publishes high-quality research papers in the field of Engineering, Applied Science and Technology.

IJEAST aims to provide a platform for researchers, academicians, and professionals to share their innovative ideas, research findings, and practical experiences with the global scientific community.

FOCUS AREAS

- Engineering
- Applied Science
- Technology
- Innovation & Development
- Interdisciplinary Studies



PEER REVIEWED

All submissions are rigorously peer reviewed to ensure quality.



OPEN ACCESS

Free and unrestricted access to research for all.



GLOBAL REACH

Connecting researchers and professionals worldwide.



TIMELY PUBLICATION

We ensure a swift and efficient publication process.



For more information, visit our website

www.ijeast.com



INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY

✉ editor@ijeast.com

🌐 www.ijeast.com

📍 India



2455-2143