



# IJEAST

INTERNATIONAL JOURNAL  
OF ENGINEERING APPLIED SCIENCE  
AND TECHNOLOGY



**VOLUME : 10    ISSUE : 12    Print / Issue Publication Date: April 2026**



**ISSN : 2455-2143**



**DOI : 10.33564/IJEAST.2026.v10i12.005**

Indexed In



[WWW.IJEAST.COM](http://WWW.IJEAST.COM)

[editor@ijeast.com](mailto:editor@ijeast.com)



# AI-BASED FACIAL RECOGNITION ATTENDANCE SYSTEM

Swathi Netheti, Kola Rohith, Kuncha Manasa, Venne Ramesh  
Computer Science and Systems Engineering  
Lendi Institute of Engineering and Technology  
Jonnada, India

Dr.R.Rajender  
Professor and HOD of CSSE,M.Tech,Ph.D  
Lendi Institute of Engineering and Technology  
Jonnada, India

**Abstract**— Traditional attendance systems often rely on manual methods or biometric devices that can be time-consuming and prone to errors such as proxy attendance. This paper presents an AI-Based Facial Recognition Attendance System that automatically detects and recognizes individuals using real-time camera input. The system uses computer vision techniques to detect faces, extract facial features, and compare them with stored facial encodings to identify users. Once recognized, attendance is recorded automatically with date and time while preventing duplicate entries. By using image-based identification instead of manual input, the system provides a contactless and efficient solution for attendance management. The proposed system demonstrates how facial recognition technology can improve accuracy, reliability, and automation in institutional attendance tracking.

**Keywords**— Facial Recognition, Attendance Automation, Computer Vision, OpenCV, Artificial Intelligence, Face Detection, Real-Time Recognition, Attendance Management.

## I. INTRODUCTION

In recent years, the demand for automated systems in educational institutions and workplaces has increased significantly. Among these systems, attendance management plays a crucial role in monitoring student and employee participation. Traditional attendance methods such as manual registers, ID card verification, and biometric fingerprint scanners are widely used, but they often suffer from inefficiencies and limitations. With growing class sizes and workforce expansion, maintaining accurate and tamper-proof attendance records has become increasingly challenging. Therefore, adopting intelligent and automated solutions is essential for improving efficiency and reliability in attendance tracking.

Attendance records are important for academic evaluation, payroll processing, and performance assessment. However, manual attendance marking consumes valuable instructional time and is prone to errors, manipulation, and proxy attendance. Biometric systems provide better security but require physical contact and dedicated hardware devices, increasing installation and maintenance costs. Additionally, biometric systems may face hygiene concerns and hardware failures. Ensuring accuracy, automation, and cost-effectiveness in attendance management remains a persistent challenge for institutions.

Recent advancements in computer vision and artificial intelligence provide promising solutions for automated identity recognition. Face detection and facial recognition techniques enable systems to identify individuals based on unique facial features captured through camera input. Modern approaches such as Haar Cascade classifiers, Histogram of Oriented Gradients (HOG), and deep learning-based facial encoding methods have demonstrated high accuracy in real-time recognition tasks. These technological developments create a strong foundation for implementing intelligent attendance systems using image-based identification.

However, applying facial recognition in real-world attendance scenarios presents several challenges, including variations in lighting conditions, facial expressions, occlusions, camera angles, and crowd environments. Furthermore, accurate recognition must be combined with an efficient attendance logging mechanism to prevent duplicate entries and ensure real-time performance. Therefore, a complete system must integrate face detection, feature extraction, recognition algorithms.

## II. LITERATURE SURVEY

Facial recognition has undergone significant advancements over the past decade, evolving from



traditional hand-crafted feature-based approaches to modern deep learning-driven solutions. Early face recognition methods relied heavily on manually designed feature extractors such as Eigenfaces, Local Binary Patterns (LBP), and Histogram of Oriented Gradients (HOG) [11], which were typically combined with classical classifiers such as Support Vector Machines. Although these techniques demonstrated success in controlled environments, they exhibited limited robustness under variations in illumination, pose, and facial expressions. Moreover, their reliance on predefined feature spaces restricted adaptability and generalization to diverse real-world scenarios.

A major breakthrough occurred with the introduction of deep learning into face recognition through Convolutional Neural Networks (CNNs). DeepFace demonstrated that deep neural networks could learn hierarchical facial representations capable of achieving near human-level performance in face verification tasks [4]. This approach enabled substantial improvements in recognition accuracy by automatically learning discriminative facial features instead of relying on manually designed descriptors. However, early deep learning models required large datasets and high computational resources, limiting their accessibility for lightweight applications.

To address these limitations, embedding-based recognition models such as FaceNet were proposed, introducing feature encoding techniques that map facial images into a compact numerical representation [3]. By comparing feature embeddings using distance metrics, these methods enabled efficient and accurate recognition with reduced computational overhead. This innovation significantly improved recognition performance while maintaining scalability for real-time applications, establishing embedding-based recognition as a foundation for modern facial recognition systems.

Subsequent research focused on improving detection accuracy and robustness under real-world conditions. The Viola-Jones Haar Cascade classifier provided a computationally efficient method for real-time face detection using boosted classifiers and simple rectangular features [1]. Later approaches combined deep learning-based detection models with feature extraction techniques to improve recognition performance under varying lighting conditions, facial expressions, and camera angles. These methods also introduced improved preprocessing techniques, such as image normalization and alignment, to enhance feature consistency before recognition.

In parallel, real-time computer vision applications gained importance with the availability of optimized libraries and frameworks. The OpenCV library provides efficient implementations for image processing, face detection, and video stream handling, enabling the development of real-time recognition systems [2]. Additionally, deep learning models pre-trained on large datasets improved feature

extraction capabilities, allowing systems to perform recognition tasks with higher reliability and reduced training requirements.

Recent research has explored deep neural network architectures for visual recognition tasks, including convolutional networks such as AlexNet and ResNet, which significantly improved image classification and feature learning performance [5], [6]. These architectures demonstrated the importance of hierarchical feature extraction and residual learning for improving model accuracy and convergence. However, deploying such models in resource-constrained environments requires careful optimization to balance accuracy and computational efficiency.

Transfer learning has emerged as a fundamental technique in computer vision, enabling pre-trained models to be adapted to domain-specific tasks with limited training data [8]. Studies show that early layers of deep networks learn general visual features such as edges and textures, while deeper layers capture task-specific semantics. This hierarchical feature reuse accelerates convergence and improves generalization when source and target domains share visual characteristics.

The availability of large-scale datasets has further accelerated progress in facial recognition research. Public datasets such as ImageNet and Labeled Faces in the Wild (LFW) provide diverse facial images for training and evaluation, supporting robust feature learning and benchmarking [12], [13]. These datasets play an important role in developing reliable recognition systems capable of operating in unconstrained environments.

Modern facial recognition frameworks and toolkits provide modular implementations of detection and recognition pipelines. Libraries supporting facial encoding and real-time recognition enable rapid development of intelligent applications such as surveillance systems, authentication systems, and automated attendance tracking. These frameworks simplify integration between detection, encoding, and classification components while maintaining high recognition accuracy.

Despite these advancements, the integration of facial recognition into automated attendance systems remains an active area of research. Existing implementations often focus primarily on improving recognition accuracy, but they frequently overlook important aspects such as automated attendance logging, prevention of duplicate entries, scalability, and overall system usability in real-world environments. In many traditional systems, attendance still requires partial manual intervention, which reduces efficiency and increases the possibility of human error. Additionally, variations in lighting conditions, facial expressions, camera angles, and occlusions continue to present practical challenges in achieving consistent performance across different environments. This work addresses these limitations by

integrating face detection, facial encoding, recognition, and attendance management into a unified real-time system. The proposed system automatically records attendance when a registered face is recognized and prevents duplicate entries within the same session. By combining these components into a single pipeline, the system reduces administrative effort and improves efficiency, making it a practical and reliable solution for attendance management in institutional environments.

### III. METHODOLOGY

The proposed methodology follows a systematic computer-vision-driven pipeline designed to automatically detect faces, recognize registered individuals, and record attendance in real time. Unlike traditional attendance systems that rely on manual entry or biometric devices, the proposed framework operates using visual facial data, ensuring automation, reliability, and minimal human intervention. The methodology integrates face detection, facial feature encoding, identity recognition, and attendance management into a unified workflow. Each stage of the pipeline is modular, allowing independent testing, optimization, and deployment while collectively forming an end-to-end intelligent attendance system.

#### A. Data Collection and Preprocessing

Face image datasets are collected using a webcam during user registration. Multiple images per individual are captured under different lighting conditions, facial expressions, and orientations to improve recognition robustness. The collected images are resized to a uniform resolution and converted into a consistent color format to ensure compatibility with the pipeline.




FIG 1: PROPOSED MODEL ARCHITECTURE

#### B. Face Detection and Recognition

Face detection is performed using a Histogram of Oriented Gradients (HOG)-based detection model combined with a linear classifier, which provides reliable real-time performance on standard computing hardware. Once faces are detected in a video frame, facial landmark alignment is applied to standardize orientation before encoding.

In addition to recognition accuracy, the system pipeline is designed to maintain stability during continuous video processing. Each frame captured from the camera is processed sequentially, ensuring that face detection, alignment, encoding, and comparison occur in a synchronized manner without interrupting the video stream. Temporal consistency is maintained by tracking recently recognized faces across consecutive frames, which reduces redundant computations and improves overall efficiency.

#### C. Detection Loss Function and Training Strategy

Since the facial encoding model is pre-trained, training primarily involves generating reliable encodings from multiple samples per individual. The detection module operates using pre-optimized parameters, while encoding consistency is validated through repeated sampling.

A two-stage setup process is adopted. In the first stage, face images are captured and stored to build the encoding database. In the second stage, the recognition system runs in real time using stored encodings without requiring additional model training. This approach significantly reduces computational cost while maintaining stable recognition performance.

#### D. Facial Feature Vector Representation

Each registered individual is represented by a facial encoding vector:

$$V_p = [v_1, v_2, \dots, v_n]$$

This vector captures unique facial characteristics extracted by the neural network. For each person, multiple encodings are averaged to create a stable representation. This compact representation enables fast similarity computation and efficient storage, making the system scalable for large numbers of registered users.

#### E. Attendance Requirement Modeling

A structured attendance record includes:

- Person ID
- Name
- Date
- Time
- Attendance status

#### F. Recognition Similarity Computation

Face recognition is performed by computing similarity between detected face encodings and stored encodings:

$$\text{Similarity}(V_d, V_s) = \|V_d - V_s\|$$

If the similarity score is below a predefined threshold, the identity is considered a match. This threshold-based decision mechanism balances recognition accuracy and false detection prevention. The threshold value is selected experimentally to ensure reliable identification under normal operating conditions.

To improve recognition stability, the detected face encoding is compared with all stored encodings of registered users, and the minimum distance is used as the final similarity score. This approach helps reduce recognition errors caused by minor variations in facial expression, lighting, or camera angle. If no encoding satisfies the threshold condition, the detected face is labeled as “Unknown,” ensuring that attendance is recorded only for valid registered individuals.




Fig 2: Workflow of the Facial Recognition-Based Attendance System

### G. Attendance Recording and Output Generation

Once a face is successfully recognized, attendance is automatically recorded in a structured CSV file. The system logs the identity along with timestamp information. The attendance list is updated dynamically during system operation.

The automated logging mechanism ensures consistency and prevents missing entries. Additionally, the system provides real-time visual feedback by displaying recognized names on the video stream, improving usability and transparency during operation.

### H. Deployment and Optimization

The system is deployed using a webcam-based interface running on a standard computer. Real-time processing is achieved through efficient face detection and encoding comparison operations. Facial encodings are precomputed and stored locally to reduce runtime computation.

Performance optimization techniques such as frame resizing, encoding caching, and selective frame processing are used to reduce latency and improve responsiveness. The system is

designed to operate without requiring specialized hardware, making deployment cost-effective.

### I. Testing and Validation Methodology

System performance is evaluated using recognition accuracy, precision, and recall metrics. Real-time testing is conducted under varying lighting conditions, camera distances, and user movements. Attendance logging correctness is verified by comparing system-generated records with manual attendance lists.

**J. Time and Space Complexity Analysis** Face detection and encoding operate in near-constant time per frame due to optimized feature extraction. Recognition complexity scales linearly with the number of registered individuals:

$$O(N)$$

Sorting and storage operations are minimal, as attendance records are appended sequentially. Space complexity is dominated by stored facial encodings and attendance logs, which remain compact even for large user groups. This ensures efficient operation and scalability for institutional deployment.

## IV. RESULTS AND DISCUSSIONS

The effectiveness and practical applicability of the proposed Face Recognition-Based Attendance Management System are evaluated through experimental testing under real-time classroom conditions. Quantitative results are analyzed using standard recognition metrics to demonstrate system accuracy, robustness, and operational efficiency. The findings are further discussed in comparison with traditional attendance approaches to justify the practicality of the proposed automated system in institutional environments.

### A. Dataset Statistics

The facial dataset used for system evaluation was collected locally during user registration. Multiple images per individual were captured to improve encoding stability and recognition robustness.

Our dataset comprises:

- Total registered individuals: 52
- Images per individual (average): 18
- Total training images: 936
- Test session images (real-time frames evaluated): ~4,500
- Average faces per frame: 1–5
- Encoding dimension: 128-dimensional feature vector

The dataset includes variations in lighting, facial expressions, minor pose differences, and the presence of spectacles to simulate real classroom conditions.

## B. Quantitative Results

### 1) Face Recognition Performance

The recognition performance of the proposed system is evaluated using accuracy, precision, recall, and F1-score. Table I summarizes the overall system performance.

**Table I: Recognition Performance Metrics**

Metric	Value
Recognition Accuracy	96.8%
Precision	97.4%
Recall	95.9%
F1-Score	96.6%
False Acceptance Rate (FAR)	2.1%
False Rejection Rate (FRR)	3.2%
Average Recognition Time per Frame	0.08 s

The results demonstrate high recognition accuracy with minimal false detections. The system maintains stable performance even under moderate lighting variations.

### 2) Threshold Sensitivity Analysis

To evaluate system stability, recognition performance was tested under different similarity threshold ( $\tau$ ) values.

**Table II: Threshold-Based Performance Analysis**

Threshold ( $\tau$ )	Accuracy	FAR	FRR
0.45	94.1%	4.8%	6.3%
0.50	96.8%	2.1%	3.2%
0.55	95.2%	1.3%	5.9%

The optimal threshold was experimentally determined as  $\tau = 0.50$ , balancing false acceptance and rejection rates effectively.

## C. Qualitative Results

Qualitative evaluation confirms the robustness of the proposed recognition system under real-time operation. The system successfully detects and recognizes multiple individuals appearing simultaneously in a frame. It performs reliably under moderate occlusion, minor head rotation, and facial expression changes.

**Fig 3: Real-Time Face Detection and Recognition Output**



Fig. 3: Real-Time Face Detection and Recognition Output

The system accurately labels registered users while marking unknown individuals appropriately as “Unknown.” Duplicate prevention logic ensures that once attendance is recorded, repeated recognition of the same individual does not create additional entries within the same session. Additionally, temporal verification across consecutive frames improves recognition stability and reduces transient misclassification caused by motion blur or temporary lighting changes.

## D. Discussion

The experimental results demonstrate that the proposed face recognition attendance system is both accurate and practical for real-world deployment. The high recognition accuracy validates the effectiveness of deep facial encoding combined with distance-based similarity matching. The use of pre-trained encoding models significantly reduces training effort while maintaining strong discriminative capability.

Compared to traditional attendance systems such as manual roll call or RFID-based systems, the proposed solution eliminates physical interaction and reduces administrative workload. The automated attendance logging mechanism ensures structured record storage and real-time updates without human supervision.

From a practical standpoint, the system provides substantial value to educational institutions and organizations. Automated recognition reduces time consumption during attendance sessions and minimizes human errors. The non-contact nature of the system also improves hygiene and convenience compared to biometric fingerprint systems.

However, certain limitations remain. Recognition accuracy may decrease under extremely poor lighting conditions or when faces are heavily occluded. Performance also depends on camera resolution and placement. Additionally, as the number of registered individuals increases, encoding comparison time may grow linearly, though still within acceptable limits for classroom-scale deployment.

Despite these challenges, the proposed system demonstrates strong reliability, scalability, and operational efficiency, making it a suitable solution for automated attendance management in academic and professional environments.

## V. CONCLUSION

This paper presents an AI-based facial recognition attendance system that automates the process of recording attendance using computer vision and deep learning techniques. The system integrates face detection, facial encoding, recognition, and automated attendance logging into a unified real-time framework. By using distance-based similarity matching between facial embeddings, the system reliably identifies registered individuals while preventing duplicate attendance entries within the same session. The experimental results demonstrate that the proposed system achieves accurate recognition performance under normal



classroom conditions, making it a practical alternative to manual attendance methods.

The proposed solution reduces administrative workload and minimizes errors commonly associated with traditional attendance recording approaches. Automated recognition ensures that attendance is recorded only after successful identity verification, improving reliability and transparency. Additionally, the system's ability to process continuous video input enables real-time operation without interrupting classroom activities. The use of transfer learning-based facial encoding improves recognition stability even with limited training images, highlighting the effectiveness of deep learning in attendance automation applications.

Overall, the developed system demonstrates how facial recognition technology can be applied to create an efficient and dependable attendance management solution. Future improvements may include improving recognition performance under extreme lighting conditions, integrating cloud-based attendance storage, and supporting mobile or multi-camera environments. These enhancements can further increase scalability, security, and usability, making the system suitable for deployment in educational institutions and organizational settings.

#### VI. REFERENCES

- [1]. Zhao M., Zhao G., Qu M. (2022). College Smart Classroom Attendance Management System Based on Internet of Things, *Computational Intelligence and Neuroscience*.
- [2]. Alhanaee K., Alhammadi M., Almenhali N., Shatnawi M. (2021). Face Recognition Smart Attendance System using Deep Transfer Learning, *Procedia Computer Science*, Vol. 192, pp. 4093–4102.
- [3]. Patel S., Kumar P., Garg S., Kumar R. (2018). Face Recognition based Smart Attendance System using IoT, *International Journal of Computer Sciences and Engineering*, Vol. 6, No. 5.
- [4]. Albahrani A., Al-Ali Z.A., Al-Ali Z.Y., Al-Mssri A., AL-Shalan M., Rahman A., Krishnasamy G. (2022). Smart Attendance Management System, *International Journal of Computer Science and Network Security*, Vol. 22, No. 6, pp. 763–766.
- [5]. Al-Muhaidhri G., Hussain J. (2019). Smart Attendance System using Face Recognition, *International Journal of Engineering Research & Technology (IJERT)*, Vol. 8, No. 12.
- [6]. Xiong W., Manori A., Devnath N., Pasi N., Kumar V. (2017). QR Code Based Smart Attendance System, *International Journal of Smart Business and Technology*, Vol. 5, No. 1, pp. 1–10.
- [7]. Bhatti K.L., Mughal L., Khuhawar F.Y., Memon S.A. (2018). Smart Attendance Management System Using Face Recognition, *EAI Endorsed Transactions on Creative*, Vol. 5, No. 17, e4.
- [8]. Abdalkarim B.A., Akgün D. (2022). A Literature Review on Smart Attendance Systems, *ICAENS Conference*, Konya, Turkey.
- [9]. Dang T.V. (2022). Smart Attendance System based on Improved Facial Recognition, *Journal of Robotics and Control (JRC)*.
- [10]. Nadhan A.S., Tukkoji C., Shyamala B., Lal N.D., Sanjeev Kumar A.N., Gowda V.M., Adhoni Z.A., Endaweke M. (2022). Smart Attendance Monitoring Technology for Industry 4.0.
- [11]. Ishaq K., Bibi S. (2023). IoT Based Smart Attendance System Using RFID: A Systematic Literature Review.
- [12]. Schroff F., Kalenichenko D., Philbin J. (2015). FaceNet: A unified embedding for face recognition and clustering, *Proc. IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 815–823.
- [13]. Taigman Y., Yang M., Ranzato M., Wolf L. (2014). DeepFace: Closing the gap to human-level performance in face verification, *Proc. IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 1701–1708.
- [14]. Viola P., Jones M. (2001). Rapid object detection using a boosted cascade of simple features, *Proc. IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 511–518.
- [15]. Deng J. et al. (2009). ImageNet: A large-scale hierarchical image database, *Proc. IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 248–255.

# IJEAST

INTERNATIONAL JOURNAL  
OF ENGINEERING APPLIED SCIENCE  
AND TECHNOLOGY

## ABOUT IJEAST

International Journal of Engineering Applied Science and Technology (IJEAST) is a peer-reviewed, open access journal that publishes high-quality research papers in the field of Engineering, Applied Science and Technology.

IJEAST aims to provide a platform for researchers, academicians, and professionals to share their innovative ideas, research findings, and practical experiences with the global scientific community.

## FOCUS AREAS

- Engineering
- Applied Science
- Technology
- Innovation & Development
- Interdisciplinary Studies



### PEER REVIEWED

All submissions are rigorously peer reviewed to ensure quality.



### OPEN ACCESS

Free and unrestricted access to research for all.



### GLOBAL REACH

Connecting researchers and professionals worldwide.



### TIMELY PUBLICATION

We ensure a swift and efficient publication process.



For more information, visit our website

[www.ijeast.com](http://www.ijeast.com)



INTERNATIONAL JOURNAL  
OF ENGINEERING APPLIED SCIENCE  
AND TECHNOLOGY

✉ [editor@ijeast.com](mailto:editor@ijeast.com)

🌐 [www.ijeast.com](http://www.ijeast.com)

📍 India



2455-2143