



IJEAST

INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY



VOLUME : 2 ISSUE : 12 Print / Issue Publication Date: 06-Jul-2018



ISSN : 2455-2143



Indexed In



WWW.IJEAST.COM

editor@ijeast.com



RULE BASED GRID SCHEDULING IN STATIC JOB SUBMISSION ENVIRONMENT

Saumitra Singh
Defence Accounts Department

Abstract—The grid scheduling algorithms are used for resource utilization and minimization of job completion time and waiting time. In this paper a rule based approach is presented to minimize average turnaround time in heterogeneous resource environment and static job submission environment. In static job submission environment, all the jobs are submitted at same time. Taken all jobs independent and applying the rules, the turnaround time of each job is minimized to minimize the average turnaround time of all submitted jobs.

Keywords—grid; high performance computing; rule based; scheduling.

I. INTRODUCTION

With the improved communication capabilities, the remote resources are frequently used to solve the applications involving large volume of data is known as grid computing. There exists many tools to submit jobs on the resources which have different computational power and are connected via Local Area Network (LAN) or Virtual Private Network (VPN). The users submit their jobs using these tools on scheduler. The challenges in grid computing are efficient resource utilization and minimization of turnaround time.

In grid computing environment, the resources include computing power, communication power and storage. An user application consists of number of jobs; users want to execute these jobs in an efficient manner [1]. There are many possibilities of submission of jobs/data on resources; in one of them, users choose the resource on basis of their status information and then submit jobs on scheduler and data on resource and in the other, on the basis of specific criteria, resource is selected on which both job and input data are transferred. This paper uses second approach, wherein the job is submitted on a scheduler and data on a resource identified by the scheduler. In this paper a rule based approach is presented to choose a resource.

The next section describes details about rule based system. Section 3 describes the proposed rule based approach in static job submission environment. In section 4 the experimental details and the results of experiments are presented with comparison of non rule based approach. In section 5 conclusions and suggestions for future improvements are proposed.

II. RULE BASED SYSTEM

A simple form of artificial intelligence, which is now frequently used by the researchers is known as rule based system [2]. The rule based system is used to present the human knowledge. A rule based system is the set of if-then rules; it used to convert users high level query to low level query. The rules are stored and the decisions are taken according to the rules. e.g.

If number is divisible by 2 then number is even.

The Figure 1 shows the rule based system, in this system n rules are presented and each rule having statement and corresponding action.




Figure 1: Rule Based System.

III. PROPOSED RULE BASED APPROACH

The existing grid scheduling approaches are based on the speed of resources [3], [4]. Each resource has different processing power and all the resources are connected via homogeneous communication environment in which the communication delay between scheduler and resources is assumed constant, also the jobs are assumed to be submitted on terminals having different job requirements.

The rule based approach used in this paper is suitable for static job submission in a heterogeneous resource environment connected to the scheduler through a homogeneous communication environment. The rule based approach takes every job as independent of each other and each of them is scheduled on a resource on the basis of these rules. The overall turnaround time of all the jobs is thus minimized. The parameters used in this approach are as follows:



The resources $R_1, R_2, R_3, \dots, R_n$.

J_i = The submitted i^{th} job.

$Proc_power_j$ = Processing power of resource R_j .

$Expt_avail_j$ = Estimated time at which resource R_j is available to execute.

Job_req_i = Length of job J_i .

$Expt_comp_{ij}$ = Expected turnaround time of i^{th} job at j^{th} resource.

The rule based approach to schedule a job J_i is given below, here a resource R_j is selected on the basis of these rules.

Rule 1:

```
{
    IF ( $R_j$  is idle and  $Proc\_pow_j > Proc\_pow_k, \square k$ )
        THEN Choose  $R_j$ .
}
```

Rule 2:

```
{
     $Expt\_avail_k = Status_k \square k$ .
    IF ( $Expt\_avail_j < Expt\_avail_k$  and
         $Proc\_pow_j > Proc\_pow_k, \square k$ )
        THEN Choose  $R_j$ 
}
```

Rule 3:

```
{
     $Expt\_comp_{ij} = Status_j + Job\_req_i / Proc\_pow_j$ 
    IF ( $Expt\_comp_{ij} < Expt\_comp_{ik}, \square k$ )
        THEN Choose  $R_j$ 
}
```

Rule 4:

```
{
    IF ( $Expt\_comp_{ij} = Expt\_comp_{ik}$  and
         $Proc\_pow_j < Proc\_pow_k, \square k$ )
        THEN Choose  $R_j$ 
}
```

After assigning the job J_i at resource R_j the status of this resource has been modified and the new status is the $Expt_comp_{ij}$. According to the resource information and these rules the jobs are submitted on resources.

IV. EXPERIMENTAL RESULTS

The experiment use the GridSim simulator [2] to simulate the approach. The GridSim toolkit is used to simulate heterogeneous resource environment and the communication environment. The experiments are performed with rule based approach and non rule based approach. The input data is taken to be the same for both the approaches. The simulation is conducted with three resources which are shown in Table 1 and the input data is shown in Figure 2.

Table 1: Resources with their architecture and processing power.

Resource	R0	R1	R2
Architecture	Sun Ultra	Sun Ultra	Sun Ultra
OS	Unix	Unix	Unix
Proc_power(in MIPS)	48000	43000	54000

The scheduler submits these jobs on resources according to the approaches. The approaches are presented one by one with their experimental results.




Figure 2: Jobs and requirement (in Million Instructions).

A. Non Rule Based Approach

In non rule based approach as the jobs are submitted to the scheduler, the resources are allocated in order in which the request is made. In our experiment there are three resources (i.e. R_0, R_1, R_2). The J_0 is submitted to R_0 , J_1 is to R_1 , and so on. In this approach the resources have equal distribution of jobs. The turnaround time of each job is shown in bar chart in Figure 3. Through this approach the average turnaround time of these jobs is 160.58 seconds and all the jobs are completed at 317.45th second.





Figure 3: Jobs and turnaround time (in seconds) using Non Rule Based Approach.

B. Rule Based Approach

In rule based approach, the scheduler finds the resource information and apply the rules on the job and all the resources. According to these rules scheduler chooses a resource and submits that job on this resource. The



turnaround time of each job is shown in bar chart in Figure 4. Through this approach the average turnaround time of these jobs is 125.37 seconds and all the jobs are completed at 196.1th second. The rule based approach reduces the average turnaround time by **21.92%** as compared with non rule based approach. The completion time of all jobs takes more less



time than non rule based approach.

Figure 4: Jobs and turnaround time (in seconds) using Rule Based Approach.

V. CONCLUSIONS AND FUTURE WORKS

The proposed rule based approach reduces the average turnaround time of all submitted jobs. The considered environment executed the jobs on different resources which are geographically distributed. It is observed that the rule based approach reduces the average turnaround by 21.92% with non rule based approach (as shown in Table 2). The comparison of turnaround time between these two approaches is shown in Figure 5.




Figure 5: Comparison of turnaround times (in seconds)

Table 2: Average turnaround time and completion time

Approaches	Average Turnaround Time (In Seconds)	Completion Time (In Seconds)
Non Rule Baesd Approach	160.58	317.45
Rule Based Approach	125.37	196.1

VI. REFERENCES

[1] Liu Cong, Baskiyar Sanjeev and Li Shuang, (2007), A General Distributed Scalable Peer to Peer for Mixed Tasks in Grids, High Performance Computing HiPC 2007, ISBN:978-3-540-77219-4, 320-330.

[2] Russell Stuart J., Norvig Peter, Artificial Intelligence: Modern Approach, Prentice Hall, 2st edition.

[3] Buyya Rajkumar, Murshed Manzur, (2002), GridSim: a toolkit for the modeling and simulation of distributed resource management and scheduling for Grid computing, Technical Report, Monash University, Nov. 2001. To appear in the Journal of Concurrency and Computation: Practice and Experience (CCPE), pp. 1-32, Wiley Press.

[4] Hamscher Volker, Schewiegelshohn Uwe, Streit Achim, Yahyapour Ramin, (2000), Evaluation of Job-Scheduling Strategies for Grid Computing, in 1st IEEE/ACM International Workshop on Grid Computing (Grid 2000), Berlin, Lecture Notes in Computer Science (LNCS), Springer, Berlin, Heidelberg, New York, pp. 191-202.

IJEAST

INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY

ABOUT IJEAST

International Journal of Engineering Applied Science and Technology (IJEAST) is a peer-reviewed, open access journal that publishes high-quality research papers in the field of Engineering, Applied Science and Technology.

IJEAST aims to provide a platform for researchers, academicians, and professionals to share their innovative ideas, research findings, and practical experiences with the global scientific community.

FOCUS AREAS

- Engineering
- Applied Science
- Technology
- Innovation & Development
- Interdisciplinary Studies



PEER REVIEWED

All submissions are rigorously peer reviewed to ensure quality.



OPEN ACCESS

Free and unrestricted access to research for all.



GLOBAL REACH

Connecting researchers and professionals worldwide.



TIMELY PUBLICATION

We ensure a swift and efficient publication process.



For more information, visit our website
www.ijeast.com



INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY

✉ editor@ijeast.com

🌐 www.ijeast.com

📍 India



2455-2143